

.

---

**From:** Hanchett, James (DPH)  
**Sent:** Friday, October 24, 2008 9:54 AM  
**To:** Fuller-Jones, Sydney (DPH)  
**Subject:** RE: FISHER SCIENTIFIC ORDER CONFIRMATION - H82985530

Hi Sidney,  
Not a problem with the delay. Thank you for your help.  
Jim

---

**From:** Fuller-Jones, Sydney (DPH)  
**Sent:** Friday, October 24, 2008 9:34 AM  
**To:** Hanchett, James (DPH)  
**Subject:** FW: FISHER SCIENTIFIC ORDER CONFIRMATION - H82985530

Good Morning Jim,

Your order has been placed, but I just wanted to make you aware of the estimated date of delivery as you will see on the attached confirmation. The manufacturer has said that there is a three week lead time on this item.

If you have any questions or concerns, please feel free to call or email me at any time.

Thank you,

Sydney

*Sydney Fuller-Jones  
Department of Public Health  
State Laboratory Institute  
Purchasing Department  
305 South Street  
Jamaica Plain, MA 02130  
(617) 983-6237 (Work)  
(617) 983-6240 (Fax)*

---

**From:** [cso.hus@thermofisher.com](mailto:cso.hus@thermofisher.com) [<mailto:cso.hus@thermofisher.com>]  
**Sent:** Friday, October 24, 2008 8:32 AM  
**To:** Fuller-Jones, Sydney (DPH)  
**Subject:** FISHER SCIENTIFIC ORDER CONFIRMATION - H82985530

<< File: 4347292.pdf >>